

SHERWIN-WILLIAMS.
Coil Coatings



Eluranon®	Galvalume®				Aluminum				Optional	ISR	EMI	SRI
Fluropon®	24ga		26ga		.032"		.040"		Flurothane° Coastal	Initial Solar Reflectivity	Emissivity	Solar Reflectance
70% PVDF Color Guide	Coil	Flat	Coil	Flat	Coil	Flat	Coil	Flat	.032 and .040 Aluminum			Index
AGED COPPER Ø	~	~			~	~			V *	0.47	0.85	53
ALMOND Ø	V	~			~	~			V *	0.63	0.86	75
BAYSIDE BLACK	V	~			V	~			V *	0.05	0.89	1
BUCKSKIN Ø	~	~			~	V			✓ ★	0.38	0.86	41
BURGUNDY	/	~			~	V			V *	0.15	0.87	11
CHAMPAGNE METALLIC Ø	V*	V*			V *	V *			✓ ★	0.33	0.83	33
CHARCOAL GRAY	~	~			~	V			✓ ★	0.29	0.86	29
COLONIAL RED Ø	>	~	>	~	~	~			✓ ★	0.33	0.87	35
COPPER METALLIC Ø	V*	V*	/	V	V *	V *			✓ ★	0.41	0.85	44
DARK BRONZE	/	~	/	~	~	V			V *	0.26	0.84	24
DOVE GRAY Ø	~	~	V	~	~	V			✓ ★	0.43	0.86	48
EVERGREEN	V	~	V	~	V	V			V *	0.30	0.85	30
GAVALUME ACRYLIC COATED ∅	~	~	V	V					V *	0.67	0.14	56
HARTFORD GREEN	V	~			V	V			✓ ★	0.29	0.86	29
HEMLOCK GREEN	V	~			V	V			V *	0.30	0.87	31
MANSARD BROWN	>	/	V	V	V	~			✓ *	0.27	0.86	26
MATTE BLACK	>	~	V	V	V	~			✓ ★	0.26	0.86	25
MEDIUM BRONZE	>	~	>	~	~	~			✓ ★	0.30	0.86	30
PATINA GREEN	V	~			V	~			✓ *	0.25	0.87	24
PRE-WEATHERED	✓ ★	✓ ★			V*	V *			V *	0.30	0.79	27
REGAL BLUE	V*	V*	V	V	V *	V *			✓ *	0.26	0.87	25
REGAL RED Ø	V*	V*			V *	V *			✓ ★	0.44	0.86	49
REGAL WHITE Ø	~	V	~	~	~	~	~	~	✓ ★	0.65	0.86	78
SANDSTONE Ø	~	~	~	~	~	~			✓ ★	0.47	0.86	53
SIERRA TAN	~	~	/	~	~	V			V *	0.30	0.85	30
SILVER METALLIC Ø	V*	V*			V *	V *	~	~	V *	0.60	0.77	68
SLATE BLUE	~	~			V	~			V *	0.29	0.87	29
SLATE GRAY Ø	~	~	~	~	~	~			V *	0.37	0.88	40
SOLAR WHITE Ø	~	~			V	~			V *	0.66	0.85	79
TERRA COTTA Ø	~	~	~	~	V	~			V *	0.35	0.87	37
TROPICAL PATINA	~	~			V	~			V *	0.30	0.86	30
VINTAGE COPPER Ø	* **	* **								0.45	0.88	51
VINTAGE GALVALUME 🖄 🗢 🕍 🛴	* **	* **								0.49	0.84	55
VINTAGE STEEL Ø	* **	* **								0.32	0.89	34

✓= Available ♦= Special Order; Min. Quantities May Apply Ø= LEED Eligible for Roof Pitch > 2:12 ★= Premium Finish ★★=Ultra-Premium Finish

NOTES ON **AVAILABILTY**

- Metal products, finishes, colors and sizes available are subject to change without notice.
- Contact Metal Alliance representative for current pricing and availability.
- Metal and finish warranty information available upon request.
- Custom colors and finishes available. Minimum charges and quantities may apply.
- To ensure color is accurate, request a metal sample before placing order.
- Oil canning is an inherent characteristic of light-gauge, cold-formed metal products, does not affect the integrity of metal panels, and is not a cause for rejection.

METAL ALLIANCE BUILDING PRODUCTS ARE:

- Energy-Efficient
- ✓ 100% Recyclable
- ✓ Eligible for up to 2 LEED credits[†]



PROUDLY FINISHED WITH:

SHERWIN-WILLIAMS.

KYNAR500°



FLORIDA 2120 SW Poma Drive, Palm City, FL 34990 MARYLAND 2500-B Broening Highway, Baltimore, MD 21224

†LEED credit eligibility based on SRI of color selection. Contact a Metal Alliance representative for complete product information and specifications, warranty details and exclusions.

PVDFCOLOR Rev 5/21

metalalliance.com

METALALLIANCE

A Value Added Supplier of Metals

METAL ON-DEMAND!

WE'RE YOUR METAL TITAN.

Metal Alliance has the metal you need, when you need it. We stock one of the largest inventories of quality coil and flats in the Southeast. Ready-to-ship in the most widely used gauges and sizes, we offer the best selection of colors and strongest partner warranties in the industry. Whatever your requirements, we want to be the metal supplier you can count on, *every order*, *every day*.

844.Metal 4U

metalalliance.com

Fluropon® 70% PVDF Coatings

ACRYLIC-COATED

Premium Paint Finishes: Field-Proven for Beautiful and Long-Lasting Performance

Demonstrating best in class performance, Fluropon 70% polyvinylidene fluoride (PVDF) coatings are formulated using Kynar 500° resins and a proprietary acrylic from Sherwin Williams°. From outstanding color and gloss retention to lasting resistance to UV rays, dirt and stains these premium finishes have been time-tested and field-proven, exceeding rigorous ASTM standards and ensuring your metal building products maintain their beauty for years to come.

STANDARD COATINGS







GOING COASTAL?

If your project is within 1,500 feet of the sea, it will be subjected to extreme conditions. All our Standard and Premium Kynar 500°-based coatings withstand those challenges – and look good doing it. For resistance to humidity & salt spray, choose Fluropon° or Flurothane° Coastal 70% PVDF on aluminum for enduring coastal performance.

